

## Product data sheet

# TERRA Combi



- Deep spiking • Deep aerating • Spiking • Aerating
- Slitting Verticutting • Spring-tining • Sand brushing
- Overseeding

Using the TERRA COMBI you can perform all necessary maintenance measures, which are necessary for a healthy growth of roots and thus for an optimal turf.

### TECHNICAL DATA

### TERRA COMBI

Model:	TC 160	TC 210
--------	--------	--------

### UNIVERSAL FRAME

Working width in inches:	63"	83"
Mounting:	rear three point cat. I and II	
Drive:	ground-driven	
Parking stand, ballast frame, protective hood:	standard	standard
Weight of universal frame incl. ballast frame & protective hood in lbs. (approx.):	320	364
Depth wheels:	•	•
Basic rail for mounting spring tines to universal frame:	•	•
Hydraulic weight transfer:	•	•

### TOOLS

Heaving rotor:	•	•
Working depth of heave knife in inches (approx.):	8"	8"
Weight in lbs. (approx.):	275	287
Low heave knife:	•	•
High heave knife:	•	•
Sorrel roller:	•	•
Working depth of sorrel roller max. in inches (approx.):	1"	1"
Weight in lbs. (approx.):	518	683
Cast-iron discs:	•	•
Cast-iron discs, rigid:	•	•
Weight in lbs. (approx.):	760	940
Cast-iron discs, pendulous with hydraulic equalizing system:	•	•
Weight in lbs. (approx.):	760	940
Working depth of slitting knives max. in inches (approx.):	3"/ 5"	3"/ 5"
Working depth of hollow spoons max. in inches (approx.):	3"	3"

### REAR ATTACHMENTS

Overseeding unit:	•	•
Weight in lbs. (approx.):	342	408
Fine spring tines for overseeding unit, drag brush or basic rail:	•	•
Coarse spring tines for overseeding unit, drag brush or basic rail:	•	•
Rear roller:	•	•
Weight in lbs. (approx.):	99	121
Bogey	•	•

(•) = Optionally available (-) = not available

Descriptions and illustrations are non-binding. We reserve the right to modify the construction and design.

